

LBS Research Online

W Blyth, [D W Bunn](#), M Chronopoulos and J Munoz

Systematic analysis of the evolution of electricity and carbon markets under deep decarbonisation

Article

This version is available in the LBS Research Online repository: <https://lbsresearch.london.edu/id/eprint/553/>

Blyth, W, [Bunn, D W](#), Chronopoulos, M and Munoz, J

(2016)

Systematic analysis of the evolution of electricity and carbon markets under deep decarbonisation.

Journal of Energy Markets, 9 (3). pp. 59-94. ISSN 1756-3607

DOI: <https://doi.org/10.21314/JEM.2016.150>

Incisive Media

<http://www.risk.net/journal-of-energy-markets/tech...>

Users may download and/or print one copy of any article(s) in LBS Research Online for purposes of research and/or private study. Further distribution of the material, or use for any commercial gain, is not permitted.

Systematic Analysis of the Evolution of Electricity and Carbon Markets under Deep Decarbonisation

*William Blyth*¹, *Derek Bunn*², *Michail Chronopoulos*³, *Jose Munoz*⁴

Revised Version November 2015

Abstract

The decarbonisation of electricity generation presents policy-makers in many countries with the delicate task of balancing initiatives for technological change whilst maintaining a commitment to market liberalisation. Despite the theoretical attractions, it has become doubtful whether carbon markets by themselves can offer the desired solution. We address this question through an integrated modelling framework, stylised for the GB power market within the EU ETS, which includes three distinct components: (a) long-term least-cost capacity planning, similar in functionality to many used in policy analysis, but innovative in providing the endogenous calculation of carbon prices; (b) short-term price risk analysis producing hourly dispatch and pricing outputs, which are used to test the annual financial performance metrics implied by the longer-term investments; (c) agent-based computational learning to derive pricing behaviour in imperfect markets. The results indicate that the risk/return profile of electricity markets may deteriorate substantially as a result of decarbonisation, reducing the propensity of companies to invest in the absence of increased government support and/or more beneficial market circumstances. Markets may adjust, if allowed, by deferring investment until conditions improve, or by consolidating to increase market power, or by operating in a tighter market with reduced spare capacity. To the extent that each of these ‘market-led’ solutions may be politically unpalatable, policy design will need to sustain a delicate regulatory regime, moderating the possible increased market power of companies whilst maintaining low-carbon subsidies for longer than expected. This paper considers some of the modelling implications for this compromise.

Keywords: Carbon Trading; Electricity Markets; Risk; Investment; Market Power

JEL: L94, Q42, Q48

Corresponding author: Derek W. Bunn, London Business School, Sussex Place, Regents Park, London NW1 4SA, UK. E:dbunn@london.edu; T:00442070008827

Acknowledgements

The authors acknowledge the financial support of the Electric Power Research Institute, including technical support from individuals at EPRI, as well as from UKERC and the London Business School. Earlier versions benefitted from discussions at the London Energy Forum 2012 and at the UK Department of Energy and Climate Change.

¹ Oxford Energy Associates: william.blyth@oxfordenergy.com

² London Business School:dbunn@london.edu

³ NHH, Bergen: Michail.Chronopoulos@nhh.no

⁴ Instituto de Investigaciones Energeticas, Universidad de Castilla – La Mancha: JoseIgnacio.Munoz@uclm.es

1. Introduction

Long-term targets for reducing the carbon intensity in the EU envisage a progressive move to full decarbonisation of the electricity sector by 2050, with several member states aiming to be close to this by 2030. Similar policy trends are emerging, with various ambitions and degrees of commitment, from many countries worldwide. What this implies, as a consequence, for the price formation process in the wholesale electricity market is unclear, but apparently radical. Although a substantial amount of research has considered the operational implications of a high proportion of wind and other renewable generation for power system security, transmission investment and system operations, basic questions remain on how competitive wholesale markets should be supplemented by subsidies or other market mechanisms to incentivise both the emergent low carbon technologies and maintain resource adequacy.

Market-based approaches to electricity decarbonisation rely upon incentives. Their effectiveness is therefore as much a function of behaviour as it is of fundamental economics, and the dynamic aspects of this process are crucial. Several regional and national Governments have been motivated, either individually or collectively, to create carbon markets, but it has become an open question if carbon markets by themselves are sufficient to motivate efficient decarbonisation in a liberalised context⁵. From an incentives perspective, a crucial complication is that the dynamic properties of carbon prices depend endogenously upon the investments which the prices seek to stimulate. Furthermore, the investment models widely used for policy formulation often do not include risk considerations in the propensity of agents to invest, nor do risk models of wholesale price formation generally include considerations of oligopoly behaviour, or the feedback of risk into the evolution of the system as a whole.

All of which raises interrelated questions on how policy interventions and subsidies can be appropriately formulated and, in particular, whether carbon and electricity “energy-only” markets can co-evolve in a substantially liberalised manner to meet these policy targets. To address these complications in market design, we use an integrated model-based analysis which links three distinct modules: (a) long-term least-cost capacity planning, similar in functionality to many used in policy analysis, but innovative in providing the endogenous calculation of carbon prices with temporal arbitrage; (b) short-term price risk analysis producing hourly dispatch and pricing outputs, which are used to test the annual financial performance risks, as implied by the longer-term investments, using metrics consistent with lender considerations; and (c) agent-based computational learning to derive pricing behaviour in the more realistic setting of imperfect market competition.

It should be emphasised that in seeking to address these considerations in general, in order to be grounded in our analysis, we calibrated our model to the UK and European situation in 2012, but we are not addressing particular issues resulting from the economic recession of 2008-2012, or the over-supply of allowances in the EU-ETS, or various support measures for renewable technologies, or making forecasts, but rather seeking to examine the basic principles driving the interaction of carbon and electricity markets in a realistic but stylised setting.

⁵ By 2014, carbon prices in the EU, from highs of around €37/tonne in 2008, had become so low, at below €5/tonne, that their effect on investment was becoming marginal. This price crash was due to the post 2008 recession making the EU-wide carbon cap easily attainable and the increased support policies for renewable technologies and energy efficiency creating less abatement for the carbon market to achieve (as analysed in Blyth et al, 2009). Nevertheless, insofar as the post- recession EU-ETS prices should eventually recover and other countries and regions have been introducing carbon trading, and as a counterfactual to the mixture of other subsidies in the expectation that subsidy interventions are usually meant to be transient, this price collapse should not negate a need to understand the basic properties of the joint evolution of carbon and electricity markets over time.

2. Context of the Research

The effects of rapid structural changes, market reforms and innovations on the risks and financial performances of both existing and prospective assets, are crucial to market participants and policy makers. Thus, it is now widely recognised that the increased penetration of wind and solar generation has led, and will continue to lead, to substantial changes in the wholesale market dynamics with greater price volatility and different operational regimes for existing power plants (e.g. Sàenz de Miera et al., 2008; Sensfuß et al., 2008; Pöyry, 2009; Green and Vasilakos, 2010, Hirth, 2012). More fundamentally, with greater penetration of renewables, and perhaps nuclear, questions on the ability of the typical wholesale market for energy to deliver attractive returns for investors have been raised and, in GB, motivated proposals for market reform in which a guiding principle was the need to “de-risk” (*sic*) new investment in low carbon technologies and adequate reserves (DECC, 2011a).

A substantial amount of research has already looked at the properties of renewable investment and their effects on wholesale power markets, including lower average prices, higher volatility and a declining incremental wind value as decarbonisation progresses (following the “merit order” effect as higher price-setting plant is pushed out of normal price-setting), e.g. Sensfuß et al.(2008), Obersteiner et al (2010), Gowrisankaran et al (2011), Hirth (2012). A key observation in this theme of work has been the increasing divergence between the average price that an intermittent producer can achieve compared to that of a firm producer, due to periods of high renewable output depressing prices. That feature is extended in the work reported here with a focus more specifically upon the risk/return profile for new and existing assets in the power sector, as it undergoes radical decarbonisation.


Risk and its impact on investment decisions has also been extensively analysed from a portfolio perspective (e.g. Awerbuch, 2006, Bazilian & Roques, 2008) and, with respect to the timing, synergy and operational flexibility of investments, from a real options perspective (Keppo et al, 2003, Fleten et al, Yang et al, 2008; 2009, Reuter et al, 2012). But how investment risks and returns may change over the lifetimes of investments, as wholesale price formation adapts to the low carbon structural changes, remains an open question. This is clearly a crucial aspect in understanding whether policies aimed at stimulating low carbon investment may, or may not, be as successful as economic analysis might suggest. Moreover, the risk of financial underperformance in terms of operational cash flows not covering financing costs is in practice explicitly evaluated as a key investment metric (CPI, 2011; Moody’s, 2009), and therefore, in this study, the analysis incorporates financial risk in terms of capital coverage as well as conventional returns on investment (as in Fortin et al, 2008; Kettunen et al, 2011).

Investment risk depends upon revenue and cost risks and these arise over two distinct timescales. Over longer time periods, the market structure as well as the economic fundamentals may evolve radically according to various scenario assumptions. But, since the generation mix and ownership evolve relatively slowly, the annual electricity price-risk profile will be determined by fluctuations in inputs such as fuel prices, demand and wind availability. Although fuel price risk therefore plays an important part in both the short and long term views, the stochastic processes at play are quite different. Formal specifications of these processes for energy commodities appear as short term mean-reversion to longer term fundamentals with stochastic diffusion (e.g. Lucia and Schwartz, 2002; Geman and Roncoroni, 2006). This means that a financial performance risk analysis for a particular year will involve detailed probabilistic simulations around annual mean values, which in turn may be derived from the longer term scenario analyses.

3. An Integrated Modelling Framework

The methodology in this research is developed to adapt the long-term capacity investment scenarios that result from the use of conventional, least-cost optimisation programs with the behavioural implications of imperfect competition (leading possibly to prices above the competitive level) and with some aversion to the risks of financial underperformance (leading possibly to non-investment in NPV positive projects if the downside risks are too high). We therefore seek to develop an integrated and coherent link between these three elements: least-cost planning, strategic behaviour, and risk analysis. Figure 1 displays the overall scheme of module linkages. The hard links between the modules imply that the output files of one module provide the input files for another, in the direction of the link, with all exogenous parameters in common. The soft links suggest that the results of a particular analysis may cause the user to question some of the basic assumptions and re-iterate the analysis.

Figure 1. Schematic of Linkages between Modules



3.1. Module 1: Long-term Least Cost Planning

The analysis begins by developing long-term least-cost expansion plans for the electricity sector, as might be undertaken by a Government to embed various policy targets. In particular, given policy targets for carbon abatement quantities, we include endogenous consideration of carbon price formation through a carbon market, such as that of the EU ETS. This is distinct from most investment models to support policy and decision-making in the power sector, which assume either exogenous carbon prices, or a relatively simple carbon price formation process (e.g. based on the costs of fuel-switching or the marginal abatement cost of some other particular abatement technology). Similarly, electricity price formation is sometimes approximated by assuming that a particular technology sets the system marginal cost. However, with decarbonisation, we expect deep structural changes to occur in the generation mix which will affect the price formation mechanisms for both carbon and electricity. In other words, carbon and electricity price are at the same time drivers of, and also driven by, the electricity generation mix. Whilst we develop quite a stylised investment model, we contribute


a coherent analysis by seeking to develop carbon price trajectories with technology investment choice and timing determined endogenously to the overall exogenous carbon quantity caps, set as policy targets. As with many carbon markets, the carbon trading is intended to extend beyond a single electricity market, and in taking GB as an example, we need to consider carbon prices being set in the EU-ETS. We therefore construct a two-level formulation to understand firstly how prices are set at the wider regional level of carbon trading, and secondly how these then feed into the investment economics of a particular, more localised, electricity system.

Thus, we assume a set of possible generation technologies $i \in \{\text{CCGT, coal, nuclear, biomass, OCGT, onshore wind, offshore wind, CCS gas, CCS coal, CCS biomass}\}$. Being a stylised model, not all generation technologies are included, nor are they necessary for the general insights sought. In particular, solar power was excluded, but the explicit effects of intermittent renewables in this model were represented by wind. Key operating characteristics for these technologies include capital cost Γ_i , fixed operating and maintenance costs FOM_i , non-energy variable operating costs VOM_i , and heat rate HR_i . Capital costs are calculated as annuitized values, taking into account the overnight capex, the financial lifetime of the plant and a cost of capital discount rate ρ_{cap} . These parameters may vary over time. We consider a 30 year time horizon, with 7 time steps $y \in \{0,5,10,15,20,25,30\}$. Any plant built in year y is deemed to have the characteristics associated with vintage v . For example capital costs $\Gamma_{i,v}$ for later vintages will be lower than for earlier vintages if that technology is expected to benefit from (exogenous) learning effects. Fuel inputs are defined for four main fuel type $f \in \{\text{gas, coal, nuclear, biomass}\}$. Each fuel type is assigned a price in each modelling period, which is an exogenously defined variable $\text{PF}_{f,y}$, and has a carbon emission factor EF_f per unit of fuel used. Demand for electricity is modelled as an inverse load duration curve, which specifies the number of hours for which demand exceeds a certain level. The curve is divided into 11 tranches, $t \in \{1, \dots, 11\}$; D_t is the total demand in each tranche, h_t is the number of hours at which demand is at that level. For each vintage of technology in each year carbon emissions are calculated as: $\text{CO2}_{i,v,y} = \text{EF}_f \text{HR}_{i,v,y} \sum_t h_t C_{i,v,y,t}$. The key decision variables for the optimisation are the capacities of each technology i of each vintage v deployed in each year y and in each demand tranche t , denoted as $C_{i,v,y,t}$. The total generation capacity in each tranche has to at least meet demand, $\sum_t C_{i,v,y,t} \geq D_t$. Since the availability of generation units are below 100%, the installed capacity is higher than expected peak demand creating an effective reserve margin in the model. This margin is about 5% but, as this long-term least cost module is deterministic and nonstrategic, neither scarcity prices nor outages appear at this stage, and the main carbon price and generation mix outputs from this module are invariant to the operational reserve. This is in keeping with conventional modelling, whereby the reserve margin is often an exogenous consideration to least cost capacity expansion plans. The reserve margin sensitivity is, however, introduced into the linked risk and strategic modules as described below, where it has a substantial effect.

Wind power is intermittent, so the deterministic optimisation cannot dispatch the level of deployment in each tranche separately. Instead, we calculate, for any particular level of wind deployment, the ‘residual load curve’. This is a widely used method and recent examples include Schill (2014), Lise (2013), and Steffen (2013). We therefore subtract, from each demand tranche, the expected contribution of wind to that particular tranche. Statistically, wind is less likely to contribute to peak tranches than baseload or shoulder tranches and, in this model, it is assumed that expected contribution of wind to baseload is 33%, whilst its contribution during peak periods is 5%. Contributions to the intermediate tranches are scaled linearly and the relative contribution of wind to each demand tranche is assumed to be independent of the amount of wind added. An illustration of

the resulting impact of wind on the load duration curve is shown in Figure 2 for one particular realisation of the amount of wind in the system:

Figure 2. Example impact of wind on the load duration curve



Carbon capture and storage is modelled as a retrofit technology that can be applied to gas, coal or biomass baseload plants. Capital costs are the marginal costs of the additional plant, marginal emissions are assumed to be negative (so that the combined base plant + CCS have a reduced total emission compared to the base plant on its own).

To model the regional EU-ETS cap-and-trade scheme, the total carbon emissions from the system as a whole, $CO2_y$ in year $y = \sum_{i,v} CO2_{i,v,y}$, is constrained to meet a cap, CAP_y , the level of which is assumed to be an exogenous variable, set by policy. The price of carbon, PC_y , in this case is an output from this module, and is calculated as the dual variable for the carbon constraint. Banking of allowances between periods is enabled by allowing the model to choose emissions $CO2_y < CAP_y$, so that the difference is carried forward. This raises the cap, CAP_{y+1} , in the following year. The optimisation will choose to do this if abatement costs are higher in future years. Borrowing from future allowances is not allowed. At the EU level, the contribution of the other non-electricity sectors within the EU-ETS to meeting the target is based on a simple cost curve approach, taken from EU PRIMES model, and optimised to reduce the degree of emissions reductions required from the electricity sector without affecting the balance of the electricity supply and demand.

The total LRMC of electricity generated by a particular technology i is therefore

$$LRMC_{i,v,y} = \sum_t C_{i,v,y,t} (\Gamma_{i,v} + FOM_{i,v} + h_t SRMC_{i,v,y})$$

where the SRMC, in the case of the EU-ETS, is the energy and other variable costs given by:

$$SRMC_{i,v,y} = VOM_{i,v,y} + HR_{i,v,y} PF_{f,y}$$

Carbon prices calculated from the EU-level model are then passed through to the more detailed local GB market model. The structure of the electricity investment optimisation is the same in principle,

except that the carbon price now feeds directly into the calculation of the plant operating costs. Thus, for the GB investment model


$$SRMC_{i,v,y} = VOM_{i,v,y} + HR_{i,v,y}PF_{f,y} + HR_{i,v,y}EF_fPC_y$$

The total system cost for a given year is simply the sum of all LRMC for all plant in the system, plus the cost of offsets and the optimisation objective is to minimise the discounted (at rate ρ_{sys}) sum of these over the entire 30 year horizon. The parameter estimates and sources are detailed in Appendix 1. With 2012 as the base year, the evolution of the power generation mix is considered under four carbon cap scenarios, as shown in Table 1. These carbon caps are the key exogenous input drivers, and the corresponding carbon price outputs from this module are shown in Figure 3.

Table 1: Exogenous Carbon Abatement Policies

Scenario	Annual reduction in cap
Tight cap	5.00%
Central cap	3.50%
Weak cap	1.74%
Weak cap + 400 MtCO₂ excess credits	1.74%

Figure 3: Carbon abatement scenarios at the EU level and resulting carbon price outputs




(A) Model inputs: EU emissions cap MtCO₂

(B) Model outputs: carbon prices (\$/tCO₂)

The ‘weak’ cap scenario has an annual reduction of 1.74% which corresponds to the rate of reduction specified in the EU-ETS Directive 2009/29/EC, although we apply it as a proportional decline rather than a linear trend. The ‘central’ cap scenario annual reduction is approximately doubled to 3.5% which would be roughly in line with the EU’s more ambitious target of 30% reduction in GHG emissions by 2020, and continuing at this rate thereafter. The ‘tight’ cap scenario considers a faster rate of 5% approximately in line with scenarios that have been suggested for example by the UK’s Climate Change Committee 4th Carbon Budget (CCC 2010).

This module does not include any subsidies to support or preclude particular technologies (they are considered in later modules) but wind is forced into the system as a required fraction of generation, to represent the policy requirements under the EU’s targets for renewable energy in 2020. After 2020, the model only introduces wind if it is cost-effective without subsidies. This means that offshore wind starts to retire (whilst onshore wind remains cost-effective and stays in the system). This explains the reduction in wind capacity under the weaker cap scenarios, as displayed in Figure 4. Offshore wind only recovers its share of the generation mix in later years when the carbon price rises under the central and tight carbon caps.

Figure 4 Evolution of UK generation mix under four deepening carbon cap scenarios



Being long term, optimal least cost plans, such results can only really be considered indicative in a centrally planned context, but nevertheless they are often the starting point for long-term policy and fundamental analysis. They leave open the questions of market price formation and the need for investors to earn an adequate return before committing to new capacity. How these mark-ups could be achieved, whether through normal market pricing mechanisms or through additional subsidies, is taken into next the linked modules in the modelling framework.


However, some observations can be made from the outputs of this initial module. Since all of the low-carbon technologies benefit from carbon prices increasing steadily over the lifetime of the facilities, annuitized capital costs are only covered in later years. This has two implications. Firstly, with uncertainties in costs and revenues, as well as risk aversion, the benefits of delaying even NPV positive investments may be attractive. Furthermore, if the trajectory of carbon prices changes to become more convex, flatter in early years and steeper towards the end, induced perhaps by market participants making inefficient temporal arbitrage assumptions on the value of banking allowances, this would also increase the value of delay. A later section uses the optimisation model in stochastic mode to identify this potential value of delay using a real options approach.

3.2. Module 2: Strategic Pricing Behaviour

The optimal least cost modelling, as described above, provides a perspective on capacity investment for the EU and GB, taking account of endogenous carbon price formation under an EU-wide target, assuming competitive behaviour. This is the conventional way in which long term baseline pathways are developed. But the analysis does not address what the market prices would have to be for the investments to be attractive to market participants. In the absence of further subsidies, beyond the carbon price, mark-ups above SRMC may be required to achieve the required investment returns, and

the question of whether a liberalised market could achieve these is crucial. If generators in a moderately concentrated market can achieve the required mark-ups, it suggests that relaxations of regulatory policy, as an alternative, or supplement, to market subsidies, may become part of the decarbonisation initiatives. This is not such a radical consideration, as SRMC will inevitably diverge from LRMC, as the market share of low marginal cost, high capital cost, renewable technologies increases.

Figure 5 Companies manage availability in response to demand.



In order to set the context for considering market power in this context, we look at real historical behaviour in the GB market as a guide. Even with a relatively unconcentrated market during 2005 to 2008 (average HHI below 1000), the ability of the generators to manage capacity is most remarkably evident in the seasonal pattern shown in Figure , which shows daily average demand and supply over these 4 years. Evidently supply availability was well managed by the generators to maintain a constant capacity margin (the system operator contracts additionally for short term reserve margins), and thereby manage stable prices within and throughout those years (average summer and winter prices were similar despite the annual demand cycle). Further analysis reveals that this intra-yearly capacity management was mainly being carried out by the mid-merit coal plant. With decarbonisation seeking to replace all of this coal, it is evident that a greater intra-yearly role for seasonal capacity profiling will fall upon gas, followed ultimately by nuclear and renewables. Although the generation sector is well-used to coping with low utilisation factors, it is clearly much more tolerable for the larger players. Large players with strong balance sheets and portfolios of assets can temporarily or permanently withdraw capacity without creating the financial distress that a smaller IPP might face.

Thus, the management of capacities and the potential for pricing above marginal cost are characteristic features of the generating sector and often provide substantial support to market clearing prices, without necessarily incurring regulatory or competition authority interventions. In our strategic modelling, therefore, we seek to identify what potential might exist in various market structures to facilitate high prices, the presumption being that market participants will assess the scope for mark-ups above SRMC when considering investment analyses. It is an open question, of course, how much weight would be placed upon this ex ante, as the potential and sustainability of market conduct above competitive levels is quite speculative, being treated cautiously by lenders and final investment committees.

Furthermore, there is some empirical evidence on daily behaviour that market participants do not appear to achieve the high prices that theory would prescribe (Wolfram, 1999). This is partly because theoretical solutions to power price gaming usually require highly stylized settings, but more importantly, the analyses are usually based upon single stage gaming, i.e. one-shot daily or hourly profit maximisation, rather than the repeated game that an oligopoly of generators may seek to maintain over the long term. It is also the case that several researchers have noted that co-ordination in practice is difficult and that real market participants are likely to sub-optimize (Crawford, 2007; Bunn and Day, 2009). Thus, the normative implications of prices from theoretical models of imperfect competition should be treated with caution and almost certainly diluted. Moreover, when market power is exerted in practice it often appears to follow price leadership so that focal points emerge, which may not reflect the fundamental equilibria, but rather manifest local co-ordination around mutually satisfactory outcomes. Thus, econometric models of daily prices tend to show a mixture of fundamental variables such as demand, reserve margin and fuel prices together with lagged variables going back *only one day* (Karakatsani et al., 2008). More dramatic focal points driven by price leadership occasionally become manifest in apparently classic collusive ways, e.g. Wolak (2000) refers to the punishment strategy invoked by the market-leader, Statkraft, in Norway to sustain a high price level. All of which raises a difficult question on how and to what extent strategic behaviour and imperfect competition should be modelled and evaluated in prospective investment analyses. It would appear realistic to recognise the potential of market participants to achieve prices above the competitive levels, regulatory surveillance permitting, as this has been large part of the history of liberalised power markets around the world since 1990. Model-based analysis can illuminate this, but given the evidence, gaming models should be more reflective of the bounded rationality seen in practice and at best they should only be considered indicative of what may be possible.

With this perspective in mind, computational learning is increasingly finding application as the most effective methodology to develop insights into price formation in complex markets, where there may be imperfect competition and where analytical results are elusive in all but the over-simplified stylisations. As such, electricity markets have been quite extensively analysed in this way, with a variety of learning algorithms (see Weidlich et al, 2008 for a review). In this research, we have followed a simple and transparent reinforcement algorithm first implemented by Bower et al (2001) to investigate the reform of the British power pool to bilateral trading in 2001. The stylized model is based upon the stack of plant capacities and their marginal costs, together with the 2012 demand distribution consistent with the specification of the optimisation and risk simulation models in the previous sections. In addition, an ownership specification is included, which we choose to specify in various stylized allocations of plant to generic owners, in order not to imply specific behaviour for any currently identifiable companies operating in the GB market. Market clearing is modelled the same way as in the risk simulations. The learning process is iterative based upon repeated offers to the same daily profile. The average daily profile for 2012 is presented repeatedly and the companies may thereby learn, through trial and error, to make offers above SRMC. The agents' offering strategy is driven by a primary objective of reaching a minimum specified utilisation rate of their plant portfolio and a secondary objective of maintaining or increasing profit once the primary objective has been achieved. By following these objectives through a computational learning algorithm, the agents learn the profit-maximising policy, subject to utilisation, for offering capacity and prices for all their plants in the daily auction.

The logic of the learning is to achieve the hurdle rates for utilisation and then maximise profit contribution at company level. Agents learn to do this by **reinforcing successful** strategies and **reversing unsuccessful** ones, together with some local **searching**. Thus, the meta-code is as follows:

Each agent has a minimum utilisation hurdle U_i which it wants to exceed.
Each unit j of agent i defines its offer price, P_{ij} , as marginal cost, MC_{ij} , plus mark-up, MU_{ij} .
For all ij at learning iteration k , we have MU_{ijk} and Profit Contribution PC_{ijk}
For all ij at learning iteration k , we record the previous change in offer prices at each plant DP_{ijk}
For all agents we have total market portfolio Profits PC_{ik} , and Utilisation U_{ik} .
At iteration k ,
If $U_{ik-1} > U_i$, go to B; if not go to A;
A: Reduce MU_{ijk} of all units individually by separate random $e1$ values subject to merit order conditions.
B: if $PC_{ik} > PC_{ik-1}$, repeat DP_{ijk} , if not, revert to the previous offer at MU_{ijk-1} , in each case with the addition of a small random value, $e2$.
[$e1$ is positive with a range $(0,E1)$, $e2$ varies about zero with a range $(-E2, E2)$]
Repeat to iteration $k + 1$
Record average market price ($AVMP_k$) for final half of the iterations.

Merit order needs to be preserved, so random adjustments are constrained never to lead to offers that would reverse the basic marginal cost merit order of the units within each agent's portfolio. This means that at any iteration, for all units in company j , offer prices, P_{ijk} , should be nondecreasing in i . While the desired rate of utilisation is defined exogenously, the profit objective is pursued endogenously: each generator is continuously learning to improve performance in the profit objective using the previous trading day's profit as a benchmark to evaluate the current day's performance. There are several reasons why companies will want to maintain a utilisation target. This could be part of their long-term market share strategy, or it could reflect prior contracting, or in some cases it could reflect availability obligations promised to the regulator. As will be seen later, assumptions about utilisation are critical to price formation, but if a low utilisation hurdle is selected, then it provides a basis for the company to substantially withdraw capacity, or indeed, if sustained, shrink in size.

It should be re-emphasised that the outputs of such a strategic model should only be considered indicative of what might be possible. How real agents will choose to co-ordinate is highly speculative; sometimes less so than models of imperfect competition would suggest, sometimes more collusively. Furthermore, even in the simple setting of a symmetric duopoly, without demand elasticity, where offers are for a fixed amount of capacity, the often-cited work by Fabra et al (2006) informs us that there will be three equilibrium solution regions, one at the competitive level for low demand, one unbounded or at a cap for high demand and an intermediate region of indeterminate or mixed strategies. The intuition is that in the intermediate conditions, the incentive to undercut when one agent is moving the prices up creates the potential for cycling behaviour. In our more complex setting, the solution regions are not amenable such simple analysis, but we expect a similar perspective that pure equilibria may often not exist. As such, computational learning models can at best only be indicative of the potential for co-ordination.

For the purposes of this analysis, the basic moderately concentrated scenario is a stylization of the GB market in 2012 with six large generators ("Big 6") and a competitive fringe, which is assumed to comprise the excess capacity in the system, and which does not behave strategically. We assume the Big 6 are symmetric in terms of size and technology ownership. We then go on to consider consolidations of the Big 6 to produce Big 5, Big 4, Big 3 and Big 2 market structures in a similar symmetric way. Later we relax the symmetries.

There is substantial excess capacity in the model set-up from the outset, with 77.8GW installed capacity, of which 13.5GW belongs to the competitive fringe, to meet a demand distribution for the

year which averages 39.5GW, with a maximum 54GW⁶. With this amount of excess capacity, if the competitive fringe seeks to be fully utilised, then the strategic players will be forced to withdraw substantial capacity in order to support prices, as they have done in GB since 2012, and as a consequence operate within our model at low average utilisation levels around 50%.

Without excess capacity and a competitive fringe, strategic behaviour by a symmetric group of six or less generators would always lead to unbounded prices. For simplicity in the initial experiments, we assume that decarbonisation takes place through the activities of the big players, and that the competitive fringe stays constant. The competitive fringe consists of 50 facilities (denoted by “Others” in the figures below). We have two variations of reserve margin/competitive fringe; one with 34% of the market and another with 15%. The types of technologies associated with the competitive fringe are offshore wind, onshore wind, OCGT, CCGT, and biomass, distributed across 20 owners. We start with exactly 77815 MW installed and initially take the case of 15% in to the competitive fringe. Average demand is about 40GW. So if the fringe always dispatches at 90%, ie almost 12GW, it leaves about 28GW on average of demand to be covered by the strategic players who own 64252 MW. Thus, if the strategic players’ utilization targets are close to 50%, on average they will be competing with the competitive fringe and prices will be close to marginal cost. If they are willing to come down to 40% or below on average, then one of the players could become pivotal and prices may be unbounded. In theory, therefore, if they are all able to move capacity utilization down to the required level, very high prices can be maintained and all investment could be supported. Alternatively, if they all seek too high a level of utilization, prices will be driven to competitive levels. In between these extremes, co-ordinating and maintaining prices may be delicate as one player may be unwilling to take on the role of the residual price maker, even if it leads to higher profits, as that may involve accepting substantially lower utilization than the other symmetric large players. Furthermore, in practice with demand and supply fluctuating hourly, the convergence of offers will be even harder to learn than in this experimental setting where the same daily demand profile is repeatedly presented to the computational agents.


In this study, we are seeking therefore to understand plausible multi-agent behavior in moving and maintaining offers above marginal cost to exercise market power, and so the initial trajectories of learning over 100-200 iterations are most revealing in terms of identifying the relative ease of co-ordination, given that with very extensive learning on the same market situation, unbounded prices will always be possible in our experiments. We accept the evidence that market participants tend to adjust their offers in a cautious adaptive manner with bounded rationality, and we advanced the simple reinforcement learning algorithm with that in mind. Recall that the reinforcement behavior is simply one of repeating or reversing previous offers, plus a small random search, to maintain or improve profits subject to minimum utilization. Furthermore, in pursuing it, it is likely that the search for improved performance by market participants will be gradual. These conjectures are important, as tuning the search parameter in the algorithm is quite delicate, as indeed is setting a plausible lower bound for utilization levels⁷. The following indications from running this module as a standalone function set this context.

If we allow substantial withdrawal by any of the strategic players, down to as low as 30%, and look at the initial state, with the six strategic players seeking to co-ordinate, Figure 6 shows that the agents steadily learn to increase prices, as indeed theory would suggest.

⁶ Demand was low in 2012 because of the post 2008 recession. Highest recorded GB demand was 60.1GW in December 2002

⁷ We have replicated the experiments reported here with more complex learning algorithms, with broadly similar results

Figure 6. Agents learn to increase prices




Most revealing is to study how they do this by looking at their utilisations. We found that after a period of large swings in utilisation, the market settles with two companies accepting the lower utilisation (around 35%) role of being the price makers, and the others having the higher load factors, closer to their maximum (80-90%, taking annual planned and unplanned availabilities into account). With symmetry, evidently the particular companies found and locked into such relative roles randomly. Once a company has settled into the role of being the marginal price-setter, then prices increase steadily. It does not follow however, that the more concentrated the market becomes, the easier it is to co-ordinate and increase prices more steeply. Recall the earlier reference to the symmetric duopoly theory (Fabra et al 2006), which suggests that if the agents are offering a fixed capacity, then there are three solution regions, marginal cost for low demand, unbounded at high demand and mixed strategies in between. In our setting, if we were to merge the six companies into two, we would be in a low demand setting if they tried to sell all (80-90%) of their capacity. Low prices would emerge from the repeated attractions of undercutting whenever one player raised prices. We found in this case that prices became locked into a cycle, as the company that has taken on the lower utilisation seeks repeatedly to undercut and increase market share. A similar process emerges if we have an asymmetric triopoly. The larger companies, as theory suggests, take the lower utilization roles, but even here, we see slow escalation of prices. We see a quicker price rise if we set a minimum 30% utilization target from the outset.

An important variant of this investigation was to explore asymmetry in the distribution of plant technologies across owners according to the allocations Table 2. In this Table, the six companies are labelled AAA, BBB, etc. We see slightly lower prices and a more difficult co-ordination process than in the symmetric in the Big 6 case. However, if we allow AAA to merge with BBB and CCC thereby concentrating all CCGT and Coal power plants into a single company, this focusses market power and leads to a more dramatic prices, as in Figure 7. Now, only in very few cases do utilization rates fall below 30% and, as a result, average daily prices reach £120/MWh within 100 iterations and seem set to escalate thereafter even more quickly. Thus, it is clear that mergers allied to technology niches is clearly a crucial aspect of achieving market power results more easily in a moderately concentrated market.

Table 2. Share of each plant type amongst the big 6 companies

New	AAA	BBB	CCC	DDD	EEE	FFF
CCG	1/3	1/3	1/3	0	0	0
COA	1/3	1/3	1/3	0	0	0
NUC	0	0	0	1/3	1/3	1/3
OCG	1/6	1/6	1/6	1/6	1/6	1/6
BIO	1/6	1/6	1/6	1/6	1/6	1/6
GCS	1/6	1/6	1/6	1/6	1/6	1/6
CCS	1/6	1/6	1/6	1/6	1/6	1/6
BCS	1/6	1/6	1/6	1/6	1/6	1/6
WON	0	0	0	1/3	1/3	1/3
WOF	0	0	0	1/3	1/3	1/3

Figure 7. Pricing behaviour when CCGT and coal plant are owned by a single company



3.3. Module 3: Short-run Market Price Risk

The third key element we need to introduce into considerations of investability in the power sector is the short-run (intra-year) price risk. We take the view that investors will acknowledge long-term least-cost modelling for providing a view of where market fundamentals are driving the industry, the way in which policy makers will think about interventions, and therefore how the long-run structure of the industry is likely to evolve in terms of generation mix. Investors may, however, be quite cautious about the sustainability of market power. Typically, when it comes to the final investment decision point for an individual project, lenders and investment committees examine a detailed financial model that makes explicit analysis of risk, and in particular, if it is viewed as a project, the risk that the annual net operational earnings will cover the financing costs (i.e. the “coverage ratio”, as in CPI, 2011; Moody’s, 2009).

In order to focus precisely upon the annual financial performance risks of assets, therefore, particularly with respect to coverage ratios under progressive decarbonisation, the risk analyses developed here are formulated as a series of detailed, *specific year* analyses of the output from the optimisation and strategic modules. This allows for a probabilistic simulation of operational and price

risks within a particular year, based upon empirical data, so that annual operational profit probability distributions can be compared with annuitized financing costs. The long-term specifications result from least cost optimisation module. Essentially these longer term parameters set the mean values for each year, which may have price mark-ups determined by the strategic simulations, and the target year risk simulations analysed here are calibrated to intra-year variations around such means. The annual risk model is much more detailed in its modelling of stochastic supply and demand effects than in the longer term investment scenarios of module 1.

Wind speed is now represented in this module using Weibull probability distribution functions, and this is converted to power according to a typical wind-power nonlinear transfer function, following Zonneveld et al (2008), Kusiak (2008) and Hossain et al (2011), leading to an average annual production of around 30% of installed capacity. The portfolio averaging of extensive wind farm penetration is modelled by considering two regions in GB, north and south. From studies on wind speeds in geographic locations (Sinden, 2007) an output correlation index of 0.7 is taken for plants in the same geographic areas within the north or south, and an index of 0.1 is used between the north and south plants. New offshore wind generation is assumed to be distributed evenly between north and south. The model is formulated as a ‘stylised’ scenario-based model in which market structure follows the outputs of the long-term optimisation model and the agent behaviour may be competitive (at marginal cost) or strategic with mark-ups determined by the computational learning of module 2.

In the stylised GB model no allowances were made for start-up costs, but the market price uncertainties in EU carbon allowances are included, having been estimated empirically around yearly means over previous years. Transmission constraints do not factor into wholesale market prices, as they are part of the real-time system balancing activities. We have negative marginal costs for wind implied by the renewable subsidies (ROCs). This means that these generators would, if necessary, be willing to pay up to the value of their subsidy in order to produce; hence the negative wholesale prices that sometimes appear (especially in Germany and Denmark where wind penetration was much higher than GB in 2011). Parametric values are sampled statistically as Monte Carlo simulations. A winter and summer demand are sampled repeatedly to form seasonal hourly demand distributions, based upon the actual 2012 hourly data. This seasonal split is designed to interact with typical seasonal availabilities for the generating facilities. No demand elasticity is assumed. Unplanned outages are simulated according to binomial distributions based upon average availabilities.

Fossil-fuel prices are sampled from log-normal distributions with intra-yearly standard deviations and correlations estimated empirically over recent years as follows:

Correlations	Oil	Gas	Coal
Oil	1		
Gas	0.631	1	
Coal	0.861	0.628	1

The module simulates hourly market prices and utilisations for each plant, thereby returning statistical distribution for annual profit contribution for each plant in the system. These can also be aggregated by company ownership. New investment performance is monitored in terms of annual profit contributions, debt coverage ratios and the probability that the debt coverage ratio falls below 1.2. The debt coverage ratio is an annual value representing the ratio of annual operational profit contribution to annuitized capital costs, where the annuitisation depends upon a cost of capital and asset lifetime. A

ratio above 1 means that the asset is making a positive return, and that would be comparable to an NPV criterion. Following the risk simulation analysis, we have a probability distribution for this ratio and a critical value exceeding 1.2 with 95% confidence is taken as an indicative criterion that may be considered by analysts and ratings agencies to retain an investment grade (CPI, 2011). Although, as a baseline, 100% debt financing of new assets was assumed, it is recognised that typically, onshore wind assets have been 80% debt financed in GB, offshore rather less, and CCGT/coal/nuclear generally being on-balance sheet. However, for some rather fundamental comparative insights, these baseline assumptions were taken to provide a reasonable and conservative proxy for the range of financial performance metrics that may be used in practice (since for leverage below 100%, higher equity returns than debt will generally be required). For this reason we refer to this ratio more generally as capital coverage in what follows. In any particular case, a company's idiosyncratic tax, leverage, amortisation and corporate circumstances will, of course, be quite distinctive.

4. Integrated Results

We report first the output from the stylised version of the investment risk simulation module 3, linked to the output from module 1 but without the strategic behaviour being activated through module 2. This is therefore a competitive market baseline. Risks are simulated, as above, for each of the 5-year modelling periods according to the outputs from the long-term optimisation model. Table 3 shows the 5th percentile values for the distribution of capital coverage ratios for each of the main technology types covered in the model⁸. The scenario represented here is the central carbon cap, and assumes a high nuclear cost scenario. No further subsidies are assumed for low-carbon plant in this scenario. In order to meet the capital coverage threshold, the 5th percentile should be above 1.2. In the early years until year 15, for this scenario, the results of risk simulation indicate that none of the technologies would meet the criterion of debt coverage exceeding 1.2 with 95% probability. By year 15, and thereafter, with the higher carbon prices coming through, nuclear and onshore wind meet the criterion, but that is all. In fact, similar results have been produced, but not reported here, for all the other carbon cap scenarios that do not include any low carbon subsidies.

Table 3. 5th Percentile value of capital coverage ratios


	WOF	WON	NUC	CCS	CCGT	COAL	OCGT
Year 0	0.29	0.60	0.63	0.01	0.41	0.03	0.00
Year 5	0.40	0.83	1.06	0.06	0.47	0.03	0.00
Year 10	0.44	0.90	1.16	0.18	0.25	0.01	0.00
Year 15	0.60	1.24	1.68	0.39	0.23	0.01	0.00
Year 20	0.64	1.31	1.78	0.64	0.02	0.00	0.00
Year 25	0.95	1.95	2.70	0.97	0.08	0.00	0.00
Year 30	0.89	1.87	2.53	0.94	0.01	0.00	0.00

In other words, the risk neutral view of least cost planning in the aggregate would be confronted by risk-averse financial planning considerations at the level of the firm. The consequences of this are various. There could be a capacity-building hiatus, until scarcity induced higher prices, or it is possible that prices could be raised by firms with sufficient market power, or there could be further subsidies. We will revert to a discussion of these remedies later. Figure 8 shows the significant level of mark-up above system short-run marginal cost that would be required in order to raise up these

⁸ WOF: wind offshore, WON: wind onshore, NUC: nuclear, CCS: coal with carbon capture and storage, CCGT: combined-cycle gas turbine, COAL: coal, OCGT: open-cycle gas turbine.

coverage ratios so that they exceed a factor of 1.2 with 95% probability. Evidently, to be able to mark-up revenue in this way requires that the whole supply function is lifted uniformly by the mark-up, which, in the absence of subsidies, requires co-ordination amongst all owners of all technologies.


Figure 8. Price mark-up above system marginal cost required to reach 95% probability of capital coverage ratio >1.2 for various technologies under the central carbon cap scenario.



The short-run risks for gas and coal plant increase quite substantially in the intermediate years. Under the central scenario, the coal plant becomes steadily less attractive anyway because of rising carbon prices. For gas plant, the risk arises due to the potential future addition of newer gas plant to the system with an expected improvement in efficiency which would push the current vintage gas plant further down the merit order and increases the risk that it may not get deployed. This indicates that investors in fossil-fired plant either need to plan on recouping their investment in the initial 10 to 15 year period, or perhaps consider other ways of assessing their willingness to accept short-run risk.


It was evident from the initial simulations of the strategic module, in section 3.2 above, that mark-ups in this stylised setting can be substantial and will depend upon the reserve margin, the degree of concentration and the diversity of technology ownership. All of these dimensions of market structure can be expected to be co-evolutionary, if allowed, as the industry re-organises itself to meet the required profits. The insights from the strategic simulations in section 3.2 suggest that even the moderately high mark-ups required in Figure 8 for the low carbon technologies over the medium and longer terms are within reach for a concentrated industry. Additional complexity in the market power effects also comes from its uneven dynamic properties. For example, if we compare the relatively unconcentrated and over-supplied market structure of the basic six symmetric companies and a 34% competitive fringe, acting strategically and competitively, and evolving over time in response to the changes in generation mix consistent with the outputs of the long-run optimisation module 1, with the central carbon-cap, high nuclear-cost reference scenario, we see an uneven emergence of market in Figure 9.

Figure 9. Electricity price evolution with 34% competitive fringe



The strategic prices are those which emerged after 100 learning iterations. Evidently these are not equilibrium prices but for the reasons mentioned previously, we feel it is more constructive to look at the relative speed of learning to consolidate, as a way of differentiating the strategic potential in the various scenarios. As for the Year 0 analysis reported in 3.2, we again look at the sensitivity to different scenarios for the size of the reserve margin and competitive fringe of 15% and 34%. In both cases, the ability for companies to manage prices upwards is very evident, but with 15%, the pattern was similar, but with higher prices. The evolution of market power is evidently, therefore, non-monotonic over time. Market power increases to a local peak after ten years, as the Big 6 retain price-setting with gas plant, and are able to increase inframarginal profits through the replacement of some of coal facilities with the lower marginal cost wind eroding prices. They are therefore able to operate their fossil price-setting plant more aggressively. With further decarbonisation, however, they lose this price-setting benefit, the competitive fringe is more influential, and mark-ups decline. Finally, after 30 years, market power returns as some CCS facilities, together with high gas and carbon prices increase the price setting capabilities at the margin. The subtle interaction of the profile of technological change and market concentration is therefore revealed. Furthermore, policy affects this non-monotonicity as well. With a tighter carbon cap, prices are higher in earlier years as shown in Figure 10, with a remarkable change in the profile of market power evolution. It seems that the increased pace of decarbonisation opens up the market power potential sooner.

Figure 10. Electricity price evolution with a tight carbon cap



Overall, as these mark-ups are substantial and compare to the risk premia identified previously, these results suggest that once the companies have determined their lowest mutually acceptable utilization levels, co-ordination to increase prices is possible, leading to adequate investment support, even with six similar companies operating. This will presumably be easier the less excess capacity is in the system, and the process of withdrawing excess capacity is easier, the more concentrated the market. Thus, market consolidation may be a precursor to effective strategic pricing support for decarbonizing investment, in the absence of substantial subsidies. Furthermore, consolidation and technology specialization may offer greater potential for price movers, which may imply that market power will emerge unevenly as decarbonisation trajectories evolve.

As a consequence of these insights, the ability to achieve adequate investment returns in an energy only market through strategic behaviour is evidently idiosyncratic to the specific market under consideration, its level of concentration, capacity mix, reserve and the ability of market participants to learn collusive outcomes. To give a final focus to this we therefore look at a more specific example, with the GB market under its ownership structure in 2012 (ie not stylized into the AAA, BBB, etc, companies as above) and consider how investability in this market in 2012 would vary if wind progressively replaced more of the 26GW of coal in the system at that time. This is not a forward

looking scenario, but a sensitivity analysis of 2012, with all of the 2012 parameters, if it had different replacement levels of coal by wind. The coverage ratios that would result for wind, nuclear and gas, under competitive offers and with strategic learning (100 iterations) are shown in Figure

Table 4: Investment Coverage Ratios in the 2012 GB market if wind replaced coal


GW Coal Replaced	Base Case	7	14	21
Wind Offshore Competitive	1.3	1.3	1.3	1.2
Wind Offshore Strategic	∧	1.75	1.7	1.3
Nuclear Competitive	0.9	0.8	0.7	0.6
Nuclear Strategic	∧	1.8	1.6	0.8
CCGT Competitive	0.7	0.4	0.3	0
CCGT Strategic	∧	3.6	1.2	0

Each cell gives the average coverage ratio, and we notice that it declines with more decarbonisation. The shaded cells are where the P95 criterion of being greater than 1.2 is not met. Evidently, when 21 of the 26GW of coal are replaced with wind, none of the technologies would meet the coverage ratio criterion without further help, or a tighter reserve margin, or greater market concentration. On the other hand, strategic behaviour would support all investments in the base case, and offshore wind up to 14 GW replacement. The circumflexes in the base case cells indicate that the prices were rising rapidly even before 100 iterations and the investment criterion would have been met comfortably and restrained only by a price cap.

5. Risk and Delay

Finally we consider possibility that in response to not meeting the risk criteria and without the ability to rely upon the exercise of market power (eg for regulatory concerns), investors may choose to delay and create an investment hiatus. Evidently, this will cause prices to rise, depending upon demand growth and plant retirements, but it will also affect the trajectory of carbon prices. We therefore feed this consideration back into module 1 to see what it would do to carbon prices. Figure 11 displays this. Evidently, carbon emissions rise during the period of the investment hiatus because of the greater reliance on existing fossil plant, some of which is old and less efficient. The higher emissions lead to higher carbon prices in the short and medium periods of the modelling horizon. This arises because more carbon allowances are required in the early period to cover the greater use of fossil fuel plant, so fewer allowances are available to bank through to later periods. Furthermore, higher carbon prices in turn would improve the investment case for new plant because they raise the expected electricity price.

Figure 11. Impact of investment hiatus on carbon price trajectory (average of all cap scenarios)




When companies are faced with the choice of making an irreversible investment in a project with uncertain future returns, there can be a real options value in waiting if this allows the company to avoid some downside risk. However, the cost of waiting will eventually outweigh the value of waiting, and rational investors would choose to proceed at that point. To evaluate this real option, we use an approximation to dynamic programming (as in Dixit, 1994), whereby the optimisation model is run N times, with different realisations of the main stochastic variables for each run. The average NPV across all N runs is evaluated for each time period t , and the value of waiting is calculated, assuming that the evolution of the overall market is unaffected by this decision to delay. We evaluate average mark-ups above SRMC in order for investing immediately to be a better opportunity than the option of waiting until Year 5. The mark-ups depend on the stochastic parameters (see Appendix 1) which are mainly based upon the DECC 2050 pathways calculator, DECC (2011) and Parsons Brinkerhoff (2012).

As a result, Figure 12 reports the mark-ups required to bridge different investment hurdles following the feedback effects of delayed investment. The charts show the ‘Breakeven’ mark-ups required to achieve a positive NPV, based on the expected value across all the stochastic scenarios evaluated at 7% discount rate as well as the mark-ups required to bring capital coverage ratio (CCR) above either 1.0 or 1.2 in 95% of outcomes. The $CCR > 1.0$ is shown for sensitivity, and might be appropriate for larger companies able to accommodate short-run risks. The Long-run mark-up (LR) evaluates a premium based upon the dispersion of annual average values over time (as produced by module 1) whereas the LR+SR premium considers both this long run and the short run premia to meet the additional intra years risks, as evaluated through module 3. Evidently, in focussing upon the mark-ups required, we are again suspending the strategic learning in module 2, but we observe that these mark-ups are within reach of the strategic behaviour as evidenced in the previous simulations

On the horizontal time axis, a distinction is made for the case of investing in year 5 or 10 where the market evolves according to the optimal plan and the ‘delay’ case in which no new plant is built by any players in the early periods. In the delay scenarios (5-year or 10-year), the retirement profile for existing fossil-fired power plants is relaxed so that there is sufficient existing plant on the system to meet demand over the full 10 year period until a new plant is built. Compared to no delays, the improvement in expected returns resulting from the investment hiatus is noticeable for the low-carbon generation sources, but it takes ten years to show up. It is important to recognise that in this analysis, it is not due to prices rising because of scarcity; we maintain the same level of security by retaining

facilities that otherwise would be retired. Rather it is the endogenous effect of carbon prices rising and thereby reducing the risk premia required to initiate investment. Total emissions are higher in the short term, but lower in the longer term since the optimal investment trajectory is still required to meet the same final cap. Overall, the endogenous nature of carbon and electricity markets appears to be somewhat self-correcting. However, we see that for wind and CCS, even after ten years, with the hiatus-induced higher carbon prices, further financial support, or the market power to achieve prices above SRMC would be required.

Figure 12. Evolution of investment conditions over time and under an investment hiatus



6. Discussion and Conclusions

In seeking to understand in a systematic way how decarbonisation through a cap and trade process can continue to support investment in the electricity sector, we have developed a dynamic, pragmatic analysis. Many analysts have suggested that conventional market designs are no longer appropriate to deal with the decarbonising structural changes. It is widely suggested that capital intensive technologies and the increasingly dynamic requirements on low load factor plants to cope with intermittent renewables will not be sufficiently rewarded by energy-only markets. But studies of alternative market designs and/or policy interventions are often (a) static in the sense that price formation for a future target year under a different pricing regime is simulated, (b) based upon assuming a perfectly competitive market, (c) that market participants are risk neutral, (d) that investment will occur if the NPVs are positive and (e) that carbon prices will follow an exogenous path to meet long-term targets. We have relaxed all of these assumptions and looked at (a) the evolving price formations and investment signals over time to explore how the attractiveness of investments change with progressive decarbonisation; (b) modelled investors who are risk averse, looking carefully at the risk of financial underperformance year-by-year before investing as well as the value of delaying investments as carbon and other uncertainties evolve; (c) considered imperfect markets where consolidation by large players can provide returns above the competitive level and thereby support investments which would otherwise be unattractive, and (d) modelled the carbon price formations as an endogenous process as it is both a driver of investment in the power sector and is in turn influenced by the sector's emissions. Thus, we have been able to develop a richer set of inter-related, dynamic insights into the trajectories of power prices and investment, as well as carbon prices over the long-term. Nevertheless, the system is complex and our insights are only indicative, resulting necessarily from highly stylised modelling.

Methodologically, we have focussed upon a model-based analysis involving the interaction of three distinct approaches: a bi-level long-term investment optimisation model to compute endogenous carbon prices set by targets extending over several power markets and the impact of these on investment trajectories in a selected sub-region; a model of strategic price formation for target years to understand the potential for prices to emerge above the competitive levels through exercise of market power, and a detailed risk simulation model to provide a realistic assessment of the propensity of investors to go ahead with projects based upon considerations of the risk of financial underperformance, as a more stringent criterion than simply a positive NPV. We recognised that the current state of power sector modelling often deals with these important elements in rather disjoint ways, and it is an open research question how and to what extent a more coherent synthesis could be achieved. It is generally the case in practice that long-term investment models are based upon least cost technology choices and timing, assuming competitive marginal cost prices, yet short and medium term models of price projection often apply estimates of mark-ups above marginal costs to reflect what has been observed in the power market and what may be expected to persist. Furthermore, risk is sometimes included by applying a higher discount rate in the investment calculations, rather than explicitly in the way that investors may evaluate it.

But, there are major research challenges in seeking to develop an integrated approach. One is computational – it is infeasible to incorporate all of the strategic gaming, ownership, plant and system details as well as risk considerations differentiated by company that might be involved in a yearly price-formation analysis into a long-term model with endogenous investment, market structure evolution and carbon price formation. The other is methodological in that strategic modelling is only indicative of a range of possibilities, both with respect to the exercise of market power in price formation, and in the propensity to invest, so that any attempt to embed these features as sub modules

in a larger systematic representation of market evolution would require behavioural speculation on a number of heuristics. The same applies to feedbacks in policy interventions over time. Nevertheless, despite the limitations, we have sought to position this research firmly in this space, in terms of seeking a more coherent analysis of the way that longer-term fundamental views will be modified by short-term risk considerations, the emergence of risk premia and the possibilities to exercise market power. The approach we have taken is one of transparent linking, as the macro long view of the industry parameters informs the micro short term risk averse decision-making.

Turning to the major insights, a fundamental observation is that, in a market for a product which is an essential service, with no price elasticity, if we allow companies to merge and withdraw capacity, and if there are no regulatory constraints, then the market participants can always achieve adequate market prices. In the same way, governments can ultimately offer sufficient subsidies to make all new investments happen. Since both extreme positions are expensive, the awkward pragmatic questions in practice are related to motivating the dynamics of new investment in a balanced, timely and efficient manner, with an understanding of how the sensitivity of the process to policy interventions and market conduct emerges.

We have observed the following indications:

- With the introduction of intermittent renewables in the form of wind, and perhaps solar, the market fundamentally becomes progressively higher risk, lower return. This may mean an on-going requirement for subsidy support even as capital costs come down through technology learning.
- If the market is becoming more risky, industry may re-organise and larger companies will manage it better. However, in a market with excess capacity, it is not as easy to co-ordinate as might be expected, even under high degrees of concentration. The way in which technology is owned and distributed amongst the companies has an important effect on the ability to exercise market power and raise prices easily. Companies may seek to become concentrated niche players, which is a counter-intuitive result to the conventional diversification view of risk management through owning a little of everything.
- Top down aggregate planning through large-scale, long-term least cost planning can be significantly affected by firm-level considerations of operational risk. Behavioural considerations indicate quite different investment trajectories and the influence of intervention policies. Understanding the need for companies to manage risk and the effective introduction of de-risking interventions appears necessary from Governments if they are to achieve the decarbonisation targets which such plans set.
- Adopting a liberalised market with energy-only pricing, no special subsidies and only a carbon market to achieve the goal of decarbonisation is likely to be faced with under-investment in the early years, higher prices in the later years, but may still deliver the ultimate carbon reduction targets if market participants believe in the mechanism. Policy makers may be intolerant of the lower attainment of early progress, however.

The size and structure of companies is likely to have a considerable bearing on the ability of the market to deliver investment, with much of the analysis in this paper indicating greater market consolidation. Whilst such a response might be seen as a legitimate 'market-led' solution, and indeed the industry has been allowed to support prices through market consolidation in many situations worldwide, to the extent that the process explicitly condones market concentration and the recovery

of long-run capital costs through the exercise of market power, it runs counter to wider liberalisation objectives of achieving a diverse and competitive market with more widely dispersed ownership of assets and an attractive climate for smaller new entrants. It would raise challenges for competition and regulatory policy, and would make politicians and companies fearful that public-private partnerships in achieving both policy goals and investor returns could easily become discredited.

Our overall conclusion points towards a possible mixture of policy interventions by Governments and market consolidation by the market participants. If this occurs, it presents an awkward control problem for policy-makers and regulators at several levels. Understanding the inter-relationships and timing impacts of different interventions will require sophisticated analysis, whilst tolerating substantial, but mitigating extreme, market power in the context of industry subsidies will be delicate. In this context, there are some crucial modelling lessons from this work. Large-scale, long term least-cost capacity planning models have an important role to play in informing policy and are likely to be the baseline for investor views over the lifetime of prospective assets. But detailed consideration of how individual investment decisions will be made with risk averse considerations needs to overlay these insights to fully understand the propensity of investors to delay, or to require higher premia in order to act sooner. These effects on the model-based indications appear to be substantial, and can be developed to an extent in a transparent way through extra considerations of real options and risk analysis, as well as related strategic modelling. However, strategic insights are only indicative of what might be possible, being essentially reliant upon behavioural assumptions, and as such are, at best, only a cautious basis for informing policy.

7. References

Awerbuch S. 2006 Portfolio-Based Electricity Generation Planning: Policy Implications for Renewables and Energy Security. *Mitigation and Adaptation Strategies for Global Change* 11(3).

Bazilian, M & Roques, F. (Eds) 2008. *Analytical Methods for Energy Diversity and Security; a tribute to Shimon Awerbuch*. Elsevier, Oxford, Amsterdam.

Blyth, W., Bunn, D.W., Kettunen, J., and T. Wilson. 2009. Policy interactions, risk and price formation in carbon markets. *Energy Policy* 37 5192–5207

Blyth, W. and Bunn, D.W. 2011. Coevolution of policy, market and technical price risks in the EU ETS. *Energy Policy* 39 (2011) 4578–4593.

Bunn, D. W. and C. J. Day 2009 Computational modelling of price formation in the electricity pool of England and Wales. *Journal of Economic Dynamics and Control*, 33, 363-376

Committee on Climate Change, 2010. 4th Carbon Budget. <http://www.theccc.org.uk/reports/fourth-carbon-budget>

Committee on Climate Change, 2011. The Renewable Energy Review. <http://www.theccc.org.uk/reports/renewable-energy-review>

CPI, 2011 The Impacts of Policy on the Financing of Renewable Projects: A Case Study Analysis. The Climate Policy Initiative. San Francisco. <http://climatepolicyinitiative.org/publication/the-impacts-of-policy-on-the-financing-of-renewable-projects-a-case-study-analysis/>

Crawford, G. S., J. Crespo, H.V. Tauchen 2007. Bidding Asymmetries in Multi-Unit Auctions: Implications of Bid Function Equilibria in the British Spot Market for Electricity. *International Journal of Industrial Organization*, 25 (6), 1233-1268.

- Department of Energy and Climate Change. 2011a, Electricity Market Reform White Paper. www.decc.gov.uk/en/content/cms/legislation/white_papers/emr_wp_2011/emr_wp_2011.aspx
- Department of Energy and Climate Change. 2011b. www.decc.gov.uk/assets/decc/11/stats/publications/dukes/2307-dukes-2011-chapter-5-electricity.pdf
- Department of Energy and Climate Change. 2011c. DECC Fossil Fuel Price Projections
- European Commission, 2011. Energy Roadmap 2050. COM (2011) 885/2
- Eurelectric 2009 Power Choices Report. www.eurelectric.org
- Fabra, N., Nils-Henrik von der Fehr and David Harbord. 2006 Designing electricity auctions. *RAND Journal of Economics*, Vol.37 (1), pp. 23-46.
- Fell, H. MacKenzie, I. Pizer, W. 2012. Prices versus quantities versus bankable quantities. *Resource and Energy Economics*, **34** (4) p607–623
- Fell, H. Burtraw, D. Morganstern, R. Palmer, K. 2012. Soft and hard price collars in a cap-and-trade system: A comparative analysis. *Journal of Environmental Economics and Management* **64** p183–198
- Fleten and Ringen (2009): New renewable electricity capacity under uncertainty: The potential in Norway”, *Journal of Energy Markets* 2(1), pp. 71-88.
- Fortin, I., Fuss, S., Hlouskova, J., Khaborov, N., Obersteiner, M., and Szolgayova, J. 2008. An integrated CVaR and real options approach to investments in the power sector. *Journal of Energy Markets*, Vol 1, No.2, pp 61-86
- Geman, H. and Roncoroni, A. (2006). Understanding the fine structure of electricity prices. *Journal of Business* 79 (3) 1225-1261.
- Green, R. & Vasilakos, N. 2010. Market behaviour with large amounts of intermittent generation. *Energy Policy*, vol. 38(7), pp. 3211-3220,
- Greenacre, P., Gross, R., Heptonstall, P., 2010. Great Expectations: The cost of offshore wind in UK waters – understanding the past and predicting the future. UKERC. www.ukerc.ac.uk
- Gowrisankaran et al. (2011): Intermittency and the Value of Renewable Energy, NBER Paper 17086, www.nber.org/papers/w17086.pdf
- Hirth, I., (2012) The Market Value of Variable Renewables FEEM Report 15.2012 www.fee.it
- Hossain, J., Sinha, V., and Kishore, V.V.N. 2011. A GIS based assessment of potential for windfarms in India. *Renewable Energy*, 36(12) 3257-3267
- Joskow, P., (2012) Comparing the Costs of Intermittent and Despachable Electricity Generation Technologies. *American Economic Review* 100(3) 238-241.
- Karakatsani, N., and D.W. Bunn. 2008. Forecasting Electricity Prices: the impact of fundamental and time-varying coefficients. *Int. J. of Forecasting* 24. 764-785.
- Kettunen, J., Bunn, D.W., and Blyth, W. 2011. Investment Propensities under Carbon Policy Uncertainty. *The Energy Journal*, 32 (1), 77 - 118.
- Keppo and Lu (2003): Real options and a large producer: the case of electricity markets. *Energy Economics* 25(5), pp. 459-472.

- Kusiak A. 2008. Energy Output. Intelligent Systems Laboratory, University of Iowa.
http://css.engineering.uiowa.edu/~ie_155/Lecture/Energy_Output.pdf
- Lise, W. J. van der Laan, F. Nieuwenhout, K. Rademaekers (2013): Assessment of the required share for a stable EU electricity supply until 2050. *Energy Policy*, 59 (2013), pp. 904–913
- Lucia, J. and E.S. Schwartz, 2002. "Electricity Prices and Power Derivatives: Evidence from the Nordic Power Exchange", *Review of Derivatives Research*, 5:1, pp. 5-50
- Moody's. 2009. Unregulated Utilities and Power Companies: Research and Ratings.
www.moodys.com/researchandratings
- Mott MacDonald. 2010. UK Electricity Generation Costs Update.
www.decc.gov.uk/assets/decc/statistics/projections/71-uk-electricity-generation-costs-update-.pdf
- National Grid. 2011. 2011 National Electricity Transmission System (NETS) Seven Year Statement.
<http://www.nationalgrid.com/uk/Electricity/SYS/>
- Oberstianer, C., and Saguan, M. (2010) Parameters influencing the market value of wind power – a model-based analysis of the Central European Power market. *European Transactions on Electrical Power* 21(6), 1856-68
- Parsons Brinkerhoff 2012. Electricity Generation Cost Model - 2012 Update of Non Renewable Technologies. Report for UK Department of Energy and Climate Change.
- Pizer, W. A. 2002. Combining price and quantity controls to mitigate global climate change. *Journal of Public Economics* 85 p 409–434
- Pöyry. 2009. Impact of intermittency: How wind variability could change the shape of the British and the Irish electricity markets. Summary report. Poyry UK, www.poyry.com
- Redpoint, 2007. Dynamics of GB Electricity Generation Investment, Redpoint Energy Ltd, 2007,
www.redpointenergy.com
- RenewableUK, 2011. Offshore Wind. www.renewableUK.com
- Reuter W.H., Fuss, S., Szolgayova, J., Obersteiner, M., (2012): Investment in wind power and pumped storage in a real options model. *Renewable and Sustainable Energy Reviews* 16(4), pp. 2242-224.
- Sàenz de Miera, G., del Rio González, P., Vizcaino, I. 2008. Analysing the impact of renewable electricity support schemes on power prices: the case of wind electricity in Spain. *Energy Policy* 36 (9), pp. 3345–3359
- Schill, W. (2014). Residual load, renewable surplus generation and storage requirements in Germany. *Energy Policy*, Article in Press. <http://dx.doi.org/10.1016/j.enpol.2014.05.032>
- Sensfuß, F., Ragwitz, M., Genoese, M. 2008. The merit-order effect: a detailed analysis of the price effect of renewable electricity generation on spot market prices in Germany. *Energy Policy* 36(8), pp. 3076–3084
- Sinden, G. 2007 Characteristics of the UK wind resource: Long term patterns and relationship to electricity demand. *Energy Policy* 35 (1) pp.112-127
- Steffen, B. Weber, C. (2013). Efficient storage capacity in power systems with thermal and renewable generation. *Energy Econ.*, 36 (2013) (2013), pp. 556–567
- Weidlich, A. and Daniel Veit 2008. A critical survey of agent-based wholesale electricity market models. *Energy Economics*, vol. 30, pp .1728—1759
- Weitzman, M. L. 1974. Prices vs. Quantities. *The Review of Economic Studies* 41(4) p 477-491

Wolak, F. 2000 Wolak's "Market design and price behavior in restructured electricity markets: an international comparison" NBER. www.nber.org/chapters/c8478.pdf

Wolfram, C.D., 1999. Measuring duopoly power in the British electricity spot market. *American Economic Review* 79 (September), 805–8

Yang, M., Blyth, W., Bunn, D.W., Bradley, R., Clarke, C., and Wilson, T. 2008. Evaluating Power Investment Options with Uncertainty in Climate Policy. *Energy Economics*, 30 (4) 1933-1950

Zonneveld P., Papaefthymiou G., Coster E., Van der Sluis L. 2008. Calculation of Grid Losses with the Aid of Stochastic Modeling of Wind Turbines and Loads. 16th Power Systems Computation Conference PSCC 2008 Glasgow. ISBN: 978-1-61738-857-6, vol.2 pp. 1295-1302

Mott MacDonald "UK Electricity Generation Costs Update 2010"
<http://www.decc.gov.uk/assets/decc/statistics/projections/71-uk-electricity-generation-costs-update-.pdf>

Appendix 1 Data Assumptions for Optimisation Model

Figure A1.1 Supply of allowances from outside of the power sector (energy efficiency + CDM)




Table A1.1 Capital cost assumptions (overnight costs \$/kW)

	Life(yrs)	\$/kW			Notes
		Central	Low	High	
CCGT	20	1085	919	1252	DECC 2050 calculator
OCGT	25	690	584	795	Central from DECC 2050 calculator, high and low scale according to CCGT range
Coal	30	2658	2381	2934	DECC 2050 calculator
Nuclear	20	4284	3648	7000	Low and central from DECC 2050. High nuc costs from recent press estimates.
Biomass	25	3520	3154	3886	Central from DECC 2050 calculator, high and low scale according to coal range
Coal +CCS	25	1794	1463	2124	Central from Mott MacDonald as in DECC 2050. High and low scaled from DECC range.
Gas+CCS	20	818	670	965	Central from Mott MacDonald as in DECC 2050. High and low scaled from DECC range.
Biomass+CCS	20	1794	1463	2124	Biomass CCS costs based on coal CCS
Onshore wind	20	2157	2000	2313	DECC 2050 calculator
Offshore wind	20	4448	3885	5010	DECC 2050 calculator

Table A1.2 Load factor assumptions for wind

Load Factor	Central	Low	High	Source
Onshore Wind	28%	25%	31%	Mott MacDonald 2010
Offshore Wind (high range)	45%	41%	45%	Mott MacDonald 2010
Offshore Wind (low range)	38%	38%	41%	Mott MacDonald 2010

Table A1.3 Fuel price assumptions

	Price in Year 0 (\$/MWh)	Annual Escalation factor	Std dev. in escalation factor	Notes
gas	26.7	2.3%	1.3%	DECC fuel price scenario. High and low scenarios assumed to be 1.5 standard deviations from central, providing the range in escalation factors.
coal	14.8	0.8%	1.1%	
nuclear	1.8	2.3%	1.1%	Year 0 value from DECC 2050 calculator. Variation scaled to range for gas
biomass	40.3	0.0%	2.0%	Year 0 and annual escalation from CCC special report on biomass. Future price range assumed 1.5 times greater than for natural gas.

Table A1.4 Operating costs and efficiencies for existing plant

	Heat rate		Variable O&M		Fixed O&M		Availability	
	Value when new	Deterioration per age year (%)	\$/MWh	Deterioration per age year (%)	\$/kW	Deterioration per age year (%)	Value when new	Deterioration per age year (%)
CCGT	1.83	0.14	0	0.14	35.68	0.14	0.9	0.14
Coal	2.45	0.08	0	0.08	87.2	0.08	0.9	0.08
Nuc	1.05	0.08	5.3	0.08	115.7	0.08	0.9	0.08
OCGT	3.85	0.14	0	0.14	35.68	0.14	0.9	0.14
Hydro	1	0	0	0	95.33	0	0.15	0

Table A1.5 Operating costs and efficiencies for new plant

	Heat rate		Variable O&M \$/MWh	Fixed O&M \$/kW	
	Yr0 value	Deterioration per age year (%)	Yr0 value	Yr0 value	Deterioration per age year (%)
gas	1.73	0.14%	0	35.7	0.14%
coal	2.38	0.08%	0	87.2	0.08%
nuc	1.05	0.08%	5.3	115.7	0.08%
gas	3.85	0.14%	0	35.7	0.14%
biomass	2.78	0.08%	0	87.2	0.08%
coal +CCS	20% energy penalty	0.08%	15.0	126.4	0.08%
gas + CCS	15% energy penalty	0.14%	10.1	60.8	0.14%
biomass	20% energy penalty	0.14%	15.0	126.4	0.14%
Wind On	-	-	0	125.9	0.14%
Wind Off	-	-	0	234.9	0.14%